

## SURGERY

Formatted: Line spacing: 1.5 lines

### Advanced Edit

~~For~~ Cementless total hip arthroplasty (THA), ~~can be performed using a large variety of femoral components with a large variety of designs have been developed.~~ The Anatomic Fiber Metal ~~plus stem~~ (Zimmer) is ~~one of the an~~ anatomically designed femoral components ~~that to can be inserted implanted~~ without cement. ~~The concept of t~~This stem ~~was is designed~~ to achieve stable fixation ~~throughby~~ metaphyseal fit and fill. It has a configuration matching ~~that of a the~~ medullary canal of a normal femur, and ~~circumferential the circumference of its fiber mesh coating on the~~ proximal one-third ~~is coated with fiber mesh~~. The neck of the stem has an anteversion of ~~twelve 12~~ degrees. The ~~press-fit and~~ outcomes of THA ~~performed using a press-fit femoral this stem were have been~~ reported to be good for ~~the~~ primary osteoarthritis in selected ~~Caucasian~~ patients. ~~However, but~~ there ~~were are a~~ few reports on the outcomes of ~~THA using this stem this procedure~~ in Japanese patients. ~~Since The majority of the most Japanese patients with hips with hip~~ osteoarthritis ~~are have~~ dysplastic hips ~~in Japanese patients. Therefore,~~ the results ~~of this procedure in these patients~~ might ~~be different differ~~ from those in Caucasian patients.

Comment [A1]: Please verify if these words should also be title cased.

Comment [A2]: Please include the location details of the manufacturer.

Comment [A3]: In scientific writing, the term "Caucasian" should preferably be restricted to people from the Caucasus region. Please check if you simply meant "white."

~~Therefore, We~~ studied ~~the~~ outcomes of cementless ~~total hip arthroplasty (THA)~~ ~~performed~~ using the Anatomic Fiber Metal plus stem in Japanese patients and ~~examined the~~ possible effects of metaphyseal fit on ~~the~~ outcomes.